

# CANYON RIDGE®

## garage doors



America's Favorite Garage Doors®

CARRIAGE HOUSE ■ CHEVRON ■ LOUVER ■ MODERN ■ ELEMENTS



*Canyon Ridge® / Carriage House 5-Layer, Design 13; Shown Custom Painted with Mahogany Cladding, Mahogany Overlays and REC14 Window Design  
Photo Credit: Lauren Armellini Pillich*



*Canyon Ridge® / Louver, Design 52; Shown in Walnut Finish with Louver Mahogany Cladding, Mahogany Overlays and REC11 Window Design  
Photo Credit: Andy Frame Photography*



# COMPOSITE OVERLAY

## The Look of Wood Without the Upkeep

For homeowners who want the look of wood without the upkeep, composite overlay doors are an excellent choice. Our faux-wood doors are constructed with an insulated steel base door for strength and durability and topped with a moisture-resistant composite overlay molded from natural wood boards. This gives the doors their realistic grain patterns and textures while keeping them low-maintenance. Like wood, the doors can be painted, and in most instances, stained, for a look that is distinctly yours.



CARRIAGE HOUSE  
5-LAYER




CHEVRON



LOUVER



CARRIAGE HOUSE  
4-LAYER



MODERN



ELEMENTS



faux wood  
REAL BEAUTY

*Canyon Ridge® / Carriage House 5-Layer Design 13; Shown in Dark Finish  
with Mahogany Cladding, Mahogany Overlays and REC13 Window Design  
Photo Credit: Andy Frame Photography*

# CANYON RIDGE® Carriage House

## 5-LAYER CONSTRUCTION

Canyon Ridge® Carriage House 5-Layer garage doors capture the charm of old-world carriage style doors in a durable, moisture-resistant construction. Composite overlays give you a low-maintenance wood alternative that looks and feels like the real thing, and the peace of mind that comes from having a superior insulated steel core construction. Choose from two species: Clear Cypress or Mahogany, and a variety of paint and stain colors to create a custom look. The result is a stunning carriage house door you will enjoy for years to come.



- 1 COMPOSITE OVERLAY
- 2 COMPOSITE CLADDING
- 3 STEEL
- 4 2" INTELLICORE® POLYURETHANE INSULATION
- 5 STEEL




## STYLE AND CONSTRUCTION

- 5-layer composite faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

*Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".*


## DOOR DESIGNS

### SERIES 1



Design 01      Design 11      Design 12      Design 13

### SERIES 3




Design 31      Design 32      Design 33      Design 34

### SERIES 2



Design 21      Design 22      Design 23

*Design 01 does not have overlays.*



Design 35      Design 36      Design 37      Design 38

## MATERIAL DESIGN OPTIONS

### CLADDING



Clear Cypress (C)      Mahogany (M)

### OVERLAY



Clear Cypress (C)      Mahogany (M)

*Composite cladding and overlay material options may be mixed and matched.*

## COLORS




*Doors can be ordered primed for custom field painting or staining. Door stain color may vary due to finishing process.*

*\*Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Two-tone doors are available.*

*To see all options go to [ezdoor.clopay.com](http://ezdoor.clopay.com).*

*Due to the printing process, colors may vary. Order free color samples at [clopaydoor.com/requestcolorssamples](http://clopaydoor.com/requestcolorssamples).*

## WINDOWS/TOP SECTIONS



*Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".*

*Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2". Additional designs, windows and top sections available.*



eye-catching  
**PATTERN PLAY**

*Canyon Ridge® / Chevron, Design 12A; Shown Custom Painted  
in Sherwin-Williams SW 7746 Rushing River with  
Mahogany Cladding, Mahogany Overlays and REC14 Window Design  
Photo Credit: Andy Frame Photography*

# CANYON RIDGE® Chevron

Love the Chevron trend? This eye-catching geometric pattern has been a favorite in textiles and flooring and is now available in a low-maintenance composite material that looks and feels like real wood. Choose from four distinct patterns to bring timeless appeal to your home. These moisture-resistant doors won't rot, warp or crack and can be painted or stained for jaw-dropping good looks that last.



- 1 COMPOSITE OVERLAY
- 2 COMPOSITE CLADDING
- 3 STEEL
- 4 2" INTELICORE® POLYURETHANE INSULATION
- 5 STEEL

COMPOSITE OVERLAY DELAMINATION  
LIMITED  
**5YR**  
WARRANTY

HARDWARE  
LIMITED  
**5YR**  
WARRANTY


## STYLE AND CONSTRUCTION

- 5-layer chevron pattern composite faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

*Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".*

## DOOR DESIGNS

### SERIES 1




Design 11V

Design 12V

Design 13V

### SERIES 3



Design 31V


Design 32V

Design 33V

Design 36V

Design 37V

## CLADDING DESIGN OPTIONS



Option V

Option A

Option D

Option U

## MATERIAL DESIGN OPTIONS

### CLADDING



Clear Cypress (C)

Mahogany (M)

### OVERLAY



Clear Cypress (C)

Mahogany (M)

Composite cladding and overlay material options may be mixed and matched.

## COLORS




Doors can be ordered primed for custom field painting or staining. Door stain color may vary due to finishing process.

\*Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays. Two-tone doors are available. To see all options go to [ezdoor.clopay.com](http://ezdoor.clopay.com).

Due to the printing process, colors may vary. Order free color samples at [clopaydoor.com/requestcolorsamples](http://clopaydoor.com/requestcolorsamples).

## WINDOWS/TOP SECTIONS



REC11

REC13

REC14

SQ23

SQ24

ARCH1 (Glass)

ARCH13

ARCH14

ARCH3

ARCH4

TOP11

TOP12

TOP13

ARCH1 (Solid)

Windows not available on Designs 31, 32, 33, 36, 37. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".

Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2". Additional designs, windows and top sections available.

Canyon Ridge® / Louver, Design 52; Shown Custom Painted in Sherwin-Williams SW 2739  
Charcoal Blue with Louver Mahogany Cladding, Mahogany Overlays and REC14 Window Design  
Photo Credit: Andy Frame Photography



versatile COASTAL CHARM

# CANYON RIDGE® Louver

If you use more than one adjective to describe your home's style, we have the perfect transitional garage door for you. Versatile and unique, plantation style Canyon Ridge® Louver doors are a perfect complement to coastal cottages and colonial homes. They can also be a standout piece on traditional exteriors or modern farmhouses. Whatever your style, these doors add "wow" factor to your home. As with all Canyon Ridge doors, they are constructed with a durable, insulated steel core topped with horizontal faux-wood composite "slats". The result is a low-maintenance door with dimension and flair.



- 1 COMPOSITE OVERLAY
- 2 COMPOSITE CLADDING
- 3 STEEL
- 4 2" INTELICORE® POLYURETHANE INSULATION
- 5 STEEL




## STYLE AND CONSTRUCTION

- 4 or 5-layer faux-wood louver doors with Intellipore® polyurethane insulation. R-values from 18.4 to 20.4.
- Insulated glass styles include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.


*Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".*

## DOOR DESIGNS

### SERIES 4



### SERIES 5




## MATERIAL DESIGN OPTIONS

### CLADDING/STEEL BASE



### OVERLAY




**Note:** Composite cladding and overlay material options may be mixed and matched.

## COLORS



Doors can be ordered primed for custom field painting. Note: Primed solid steel base is brown. Overlay stain color may vary due to finishing process. \*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays. Two-tone doors are available. To see all options go to: [ezdoor.clopay.com](http://ezdoor.clopay.com). Steel surfaces have woodgrain texture. Due to the printing process, colors may vary. Order free color samples at [clopaydoor.com/requestcolorssamples](http://clopaydoor.com/requestcolorssamples).

## WINDOWS/TOP SECTIONS



Windows available only on Louver Design 52. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2". Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2".

Canyon Ridge® / Carriage House 4-Layer, Design 21; Shown in Ultra-Grain® Cypress Slate Finish with Clear Cypress Overlays in Slate Finish and SQ24 Window Design  
Photo Credit: Living Stone Design + Build, Ryan Theede Photography



RUSTIC looks  
REFINED

# CANYON RIDGE® Carriage House

## 4-LAYER CONSTRUCTION

Another beautiful, low-maintenance alternative to real wood is the Canyon Ridge® Carriage House 4-Layer faux-wood garage door. Similar in style and construction to its 5-Layer counterpart, it also has an energy-efficient Intellicore® polyurethane insulated steel core topped with Clear Cypress composite overlays to create a carriage house design. The 4-Layer door has fully visible steel panels that can be finished in Ultra-Grain® for a stained wood-look or painted a solid color to match your home.



- 1 COMPOSITE OVERLAY
- 2 STEEL WITH ULTRA-GRAIN® FINISH (SHOWN) OR SOLID COLOR STEEL
- 3 2" INTELlicore® POLYURETHANE INSULATION
- 4 STEEL


## STYLE AND CONSTRUCTION

- 4-layer, steel and composite overlay doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

*Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".*


## DOOR DESIGNS

### SERIES 1




Design 11      Design 12      Design 13

### SERIES 3



Design 31      Design 32      Design 33      Design 34

### SERIES 2



Design 21      Design 22      Design 23



Design 35      Design 36      Design 37      Design 38

## MATERIAL DESIGN OPTIONS

### STEEL BASE



Ultra-Grain® Finish  
Clear Cypress  
or Solid Color Steel (N)

*Composite cladding is not present on Carriage House 4-Layer doors.*

### OVERLAY



Clear Cypress (C)



Mahogany (M)

## COLORS



Natural Finish



Medium Finish



Dark Finish



Walnut Finish



Slate Finish



Bronze Finish\*




Charcoal Finish\*



Espresso Finish



Black Finish\*



White Finish\*



Primed (No Finish)

*Doors can be ordered primed for custom field painting. Note: Primed solid steel base is brown. Overlay stain color may vary due to finishing process.*

*\*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays.*

*Two-tone doors are available. To see all options go to: [ezdoor.clopay.com](http://ezdoor.clopay.com).*

*Steel surfaces have woodgrain texture.*


*Due to the printing process, colors may vary.*

*Order free color samples at [clopaydoor.com/requestcolorssamples](http://clopaydoor.com/requestcolorssamples).*

## WARRANTIES



## WINDOWS/TOP SECTIONS



REC11



REC13



REC14



SQ23



SQ24



ARCH1 (Glass)



ARCH13



ARCH14




ARCH3



ARCH4



TOP11




TOP12



TOP13



ARCH1 (Solid)



*Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38.*

*Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".*

*Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2". Additional designs, windows and top sections available.*

faux wood  
REAL MODERN

*Canyon Ridge® / Modern Plank Design; Shown in Walnut Finish with Mahogany Cladding and 35" x 6" Windows Down Left and Right Side  
Photo Credit: Jeffrey A. Davis Photography*

## CANYON RIDGE® Modern

Statement-making and sophisticated, our Canyon Ridge® Modern faux-wood garage doors combine realistic wood textures with key elements of contemporary architecture: clean, horizontal lines with mid-century appeal, sleek windows and metallic accents. The doors are constructed in a durable, low-maintenance composite material that resists rot and weathering. An energy-efficient, polyurethane foam insulated steel core provides year-round comfort. Choose from three designs in Clear Cypress or Mahogany faux-wood cladding that can be painted or stained.




- 1 COMPOSITE OVERLAY
- 2 STEEL
- 3 2" INTELlicore® POLYURETHANE INSULATION
- 4 STEEL

## STYLE AND CONSTRUCTION

- 4-layer composite faux-wood doors with Intellicore® polyurethane insulation.
- Plank design: 20.4 R-value.
- Metal Inlay design: 18.4 R-value.
- Full-View design: 6.3 R-value.
- Multiple window configurations available for Plank doors.
- Insulated glass styles include clear, frosted, rain and obscure. See page 16 for details.

*Calculated door section R-value is in accordance with DASMA TDS-163. Weighted average calculations using insulated glass windows in all sections, all panels. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".*

## DOOR DESIGNS




## WINDOWS

Available only on Plank door designs.



Both window sizes are available on single car and double car doors.

### PLANK WINDOW CONFIGURATIONS



14" x 6" Windows down right side  
 35" x 6" Windows in all panel locations  
 Note: Configurations are illustrated from outside garage. When ordering, window locations are identified from inside garage looking out. Please keep in mind to avoid ordering windows in wrong location.

## WARRANTIES




## MATERIAL DESIGN OPTIONS

### PLANK CLADDING




### METAL (ALUMINUM) INLAY CLADDING



### FULL-VIEW OVERLAY



## COLORS



Doors can be ordered primed for custom field painting or staining. Door stain color may vary due to finishing process.  
 \*Bronze, Charcoal, Black and White Finish available only on Mahogany cladding and overlays.  
 Due to the printing process, colors may vary. Order free color samples at [clopaydoor.com/requestcolorsamples](http://clopaydoor.com/requestcolorsamples).

the look of painted **WOOD**  
the ease of durable **STEEL**



*Canyon Ridge® / Elements, Design 12;  
Shown in Black with REC13 Window Design*

## CANYON RIDGE® Elements

The introductory model in our top-selling line of faux-wood carriage house doors, Canyon Ridge® Elements pairs moisture-resistant composite overlays featuring clean, square “Shaker” edges and durable, insulated steel to give you the look of painted wood without the upkeep. Choose from 13 designs in 6 finishes including dramatic dark colors like Charcoal, Black and Bronze.



- 1 COMPOSITE OVERLAY
- 2 STEEL
- 3 BONDED POLYSTYRENE INSULATION
- 4 STEEL


## STYLE AND CONSTRUCTION

- 4-layer, steel and composite overlay doors with 1-3/8" bonded polystyrene insulation. 6.5 R-value.
- Glass options include clear, frosted, seeded, rain and obscure. See page 16 for details.
- Removable clip-in window grilles for easy cleaning.
- Spade lift handles and step plates included. See page 17 for more options.

*Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".*

## DOOR DESIGNS

### SERIES 1




Design 11

Design 12

Design 13

### SERIES 3




Design 31

Design 32

Design 33

Design 34

### SERIES 2



Design 21

Design 22

Design 23



Design 35

Design 36

Design 38

## MATERIAL DETAIL



Woodgrain Classic surface texture on steel base and composite overlay.

## COLORS



Standard White

Desert Tan

Bronze

Charcoal

Iron Ore\*

Black\*

## WARRANTIES




*\*Additional charges apply.*

*Two-tone doors are available. To see all options go to: [ezdoor.clopay.com](http://ezdoor.clopay.com).*

*Due to the printing process, colors may vary.*

*Order free color samples at [clopaydoor.com/requestcolorsamples](http://clopaydoor.com/requestcolorsamples).*

## WINDOWS/TOP SECTIONS



REC11

REC13

REC14

SQ23

SQ24

ARCH1 (Glass)

ARCH13

ARCH14

ARCH3

ARCH4

TOP11

TOP12

TOP13

ARCH1 (Solid)

*Insulated glass not available. Windows not available on Designs 31, 32, 33, 34, 35, 36 and 38.*

*Standard windows available on the following widths only: 8'0", 9'0", 10'0", 12'0", 13'0", 13'6", 16'0", 17'0", 18'0". Additional designs, windows and top sections available.*

# SPECIALTY GLASS




Clear



Frosted



Seeded\*



Obscure



Rain



*\*Seeded is not available on Canyon Ridge® Modern window options.*

*Canyon Ridge® Elements is not available with insulated glass options.*

*Additional charges for optional glass apply.*

# DECORATIVE HARDWARE

Attractive black powder coated handles and step plates are provided standard to further enhance the Canyon Ridge® Design. Optional decorative hardware – including handles, operable L-keylocks and strap hinges, is also available.



*\* Door may not open properly if installed near the top depending on opening dimensions and lift type.*

*Aluminum Grip Handles are available in the following colors: Clear Aluminum (Anodized), Standard White (Painted), Bronze (Painted), Bronze (Anodized), Black (Anodized) and Dark Bronze (Anodized).*



## CUSTOM PAINT PROGRAM

Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.





*Canyon Ridge® / Carriage House 5-Layer, Design 11;  
Shown Custom Painted with Mahogany Cladding,  
Mahogany Overlays and REC14 Window Design  
Photo Credit: Laurey Glenn*



## DESIGNING YOUR DOOR

Use the information below to select the appropriate model number.

### CANYON RIDGE® CARRIAGE HOUSE 5-LAYER

Canyon Ridge Door Insulation Thickness Design Cladding Material Overlay Material Window Design/Top Section

CAN 2 13 M C REC13

### CANYON RIDGE® CARRIAGE HOUSE 4-LAYER

Canyon Ridge Door Insulation Thickness Design Cladding Material (Does Not Apply) Overlay Material Window Design/Top Section

CAN 2 34 N C TOP11

### CANYON RIDGE® ELEMENTS

Canyon Ridge Door Insulation Thickness Design Overlay Material Window Design/Top Section

CED 1 22 RS ARCH1

### CANYON RIDGE® CHEVRON

Canyon Ridge Door Insulation Thickness Design Cladding Design Cladding Material Overlay Material Window Design/Top Section

CAN 2 11 V M M REC14

### CANYON RIDGE® LOUVER

Canyon Ridge Door Insulation Thickness Design Cladding Material Overlay Material Window Design/Top Section

CAN 2 52 L M SQ24

### CANYON RIDGE® MODERN

#### PLANK DESIGN

Canyon Ridge Door Insulation Thickness Cladding Material Design

CRM 2 C 6

#### METAL (ALUMINUM) INLAY DESIGN

Canyon Ridge Door Insulation Thickness Cladding Material Design

CRM 2 M AI

#### FULL-VIEW DESIGN

Canyon Ridge Door Insulation Thickness Overlay Material Design

CRM 2 C OV

### ORDERING CODE KEY TERMS:

2 = 2" Polyurethane Insulation  
 1 = 1-3/8" Polystyrene Insulation  
 C = Clear Cypress  
 L = Louver Mahogany  
 M = Mahogany  
 N = No Cladding  
 RS = Woodgrain Classic

## DESIGN CONSIDERATIONS

- Two-tone color options available. To view all options, visit: [ezdoor.clopay.com](http://ezdoor.clopay.com).
- Custom designs available. See your Clopay Dealer for more information.
- Attractive beveled edge, clip-in window grilles are removable for easy cleaning.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 10-ball nylon rollers for quiet operation.
- Heavy-duty 14 gauge steel hinges for long-lasting performance.
- Clopay's Safe-T-Bracket® prevents serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- WindCode® built-in door reinforcement available for high wind load applications. Learn more at: [www.clopaydoor.com/residential/windcode-residential-information](http://www.clopaydoor.com/residential/windcode-residential-information).
- Canyon Ridge® garage doors are not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

## FINISHING AND CARE

Proper care and maintenance are imperative for long-term performance and appearance of Canyon Ridge® garage doors. Periodic inspection and maintenance of the composite cladding and overlays are required. Minor expansion and contraction is normal for exterior building materials exposed to direct sunlight and is not considered a defect. Complete finishing and maintenance instructions are provided with the door and are also available from your Clopay Dealer or online at [www.clopaydoor.com](http://www.clopaydoor.com).

## ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations and do not contain HFCs.

- California SB 1013
- New Jersey A-5583/S-3919 – Greenhouse Gas Bill
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations
- Product complies with 2015 IECC air infiltration requirement of 0.40 cfm/ft<sup>2</sup> or less (IECC, Section C402.5.2)



Visit [clopaydoor.com](http://clopaydoor.com) or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



©2026 Clopay Corporation. All rights reserved.

RSDR-CANYONRIDGEBR-20\_REV0226



START DESIGNING  
 YOUR NEW  
 GARAGE DOOR  
 OPEN CAMERA  
 AND POINT!