

GRAND HARBOR[®]

garage doors



America's Favorite Garage Doors[®]



Grand Harbor[®] / Model GH12; Shown with Sandtone Base, Standard White Overlay and SQ24 Windows

Grand Harbor® / Model GH12; Shown with Standard White Base,
Standard White Overlay and SQ22 Windows
Photo Credit: Boxwell Homes



carriage house LOOKS

for LESS



Grand Harbor® / Model GH13;
Shown Custom Painted with SQ24 Windows

Grand Harbor® Garage Doors

Enhance the classic details of your home
without breaking your budget.

When budget is the deciding factor, this low-maintenance, insulation-optional steel frame carriage house style garage door combines clean lines and classic charm to provide a popular style at a great value.

Accented with decorative black wrought iron hardware, these doors have the appearance of a swing-out door, but offer the convenience of modern overhead operation.




SOLID TOP SECTIONS

Solid top sections in rectangular, square and arch designs provide more design options to complement new home styles.



FAUX TOP SECTIONS

Faux top sections create the illusion of a window by using a solid dark gray steel background with arch, square and rectangular grille overlays. Provides added security while creating the appearance of a real window.



GLAZED TOP SECTIONS

Glazed top sections in clear or obscure glass and snap-in grilles create square and rectangular designs. Wrought iron windows feature a black iron-look design on a seeded-look acrylic that provides an Old World European style to complement light fixtures, entry doors and other decorative features.

Glazed top sections (windows) NOT available in 15'0" and 15'6" width doors.

Note: All glazed top sections available up to WINDCODE® W1. Short glazed top sections, SQ22, plain short and wrought iron short (WIS) available up to WINDCODE® W6.


Additional charges for optional glass apply.

Contact your local dealer for door width restrictions.


Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

DOOR DESIGNS


SERIES 1



Design 11




Design 12




Design 13

SERIES 2



Design 21




Design 22

SERIES 3




Design 31



Design 36

SERIES 4



Design 41

All door designs shown with a solid TOP11 Design; additional top sections are shown below.

TOP/WINDOW SECTIONS

SERIES 1 & SERIES 2



TOP11



TOP12



Wrought Iron Short



TOP13



ARCH1



Wrought Iron Long



XG14



XG24



XA24



Plain Short



REC12



SQ22



Plain Long



REC14



SQ24



ARCH1



Vertical Grille on ARCH1



Grille on ARCH1

SERIES 3 & SERIES 4



TOP11



ARCH1

Additional double width door designs available.

DURABLE CONSTRUCTION



**3 or 2
LAYER
CONSTRUCTION**

- 1 COMPOSITE OVERLAY
- 2 STEEL
- 3 POLYSTYRENE INSULATION

Calculated door section R-value is in accordance with DASMA TDS-163.

1 5/8"
POLYSTYRENE INSULATION

R-VALUE
6.3

NON-INSULATED

- 24 gauge, 2" steel frame construction with 1/2" composite overlay for long-lasting performance and durability.
- Optional 1-5/8" vinyl-backed insulation improves energy efficiency. 6.3 R-value.
- Galvanized torsion springs are attractive and longer lasting.
- Nylon rollers are durable and quiet.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.

BEAUTY AND DESIGN

- Four design series, eight models.
- Glazed top sections in clear or obscure glass and snap-in grilles create square and rectangular designs. Optional faux windows and wrought iron windows.
- Decorative black powder coated spade design lift handles and step plate provide the finishing touch. Optional outside keyed lock and strap hinges maintain the authentic carriage house style designs.
- UV-protected standard white composite square-edged overlay with smooth finish.

SIZE AVAILABILITY

Door Height	Series 1	Series 2	Series 3	Series 4
	Models	Models	Models	Model
6'6" to 8'0"	GH11, GH12, GH13	GH21, GH22	GH31, GH36	GH41
8'6" to 12'0"				

Door heights available in 6" increments.

Door Width (All Models) 8'0", 9'0", 15'0"* , 15'6"* , 16'0"

*Glazed top sections (windows) NOT available in 15'0" and 15'6" width doors.

STANDARD COLORS



Standard White Almond Desert Tan Sandtone

Due to the printing process, colors may vary.

- Four woodgrain textured, hot-dipped galvanized steel base door colors: Standard White, Almond, Desert Tan and Sandtone. Overlay available in Standard White only.
- Can be painted using a high-quality exterior latex paint.

CUSTOM PAINT OPTION



Choose from over 1,500 Sherwin-Williams® paint colors to complement your home with Clopay's Color Blast® factory-finishing option. Our durable two-part paint system is tested and backed by a five-year warranty.

DECORATIVE HARDWARE

STANDARD



Spade Step Plate



Spade Lift Handles

OPTIONAL



Operable Keylock



Spade Strap Hinge



Escutcheon Plate

PAINT SYSTEM
LIMITED
LIFETIME
WARRANTY

WINDOW & OVERLAY
DISCOLORATION
LIMITED
10 YEAR
WARRANTY

OVERLAY
DELAMINATION
LIMITED
5 YEAR
WARRANTY

HARDWARE
LIMITED
3 YEAR
WARRANTY

ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations and do not contain HFCs.

- California SB 1013
- New Jersey A-5583/S-3919 – Greenhouse Gas Bill
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations



Visit clopaydoor.com or call **1-800-2CLOPAY (225-6729)** for more information on Clopay, America's Favorite Garage Doors.

Follow us on



©2026 Clopay Corporation. All rights reserved.

RSDR-GHSS-06_REV0326



START DESIGNING
YOUR NEW
GARAGE DOOR
OPEN CAMERA
AND POINT!